

DOOSAN

Construction Equipment

Wheel loader Attachments

General Purpose Bucket / Light Material Bucket /
V-Shape Rock Bucket / Hydraulic Quick Coupler / Pallet Fork /
Log & Lumber Grapple / Clearing Rake



DOOSAN WHEEL LOADER ATTACHMENTS

GENERAL PURPOSE BUCKET



CLEARING RAKE



LOG & LUMBER GRAPPLE



DOOSAN WHEEL LOADER ATTACHMENTS USING THE 6 KINDS OF GOOD REASONS



ONE-STOP SHOP

One place for complete solutions :
(carrier + attachments + parts + service)



ENGINEERING APPROVED

Optimized for Wheel loader equipment high efficiency and performance, resulting in lower running and maintenance cost.



SERVICE

Broad coverage via the Wheel loader service network, fully supported by Wheel loader product specialists.



QUALITY

Products manufactured to highest standards.



WARRANTY

Avoid compatibility issues and operating differences from using Non-approved attachments.



PLUG & PLAY READINESS

Easy to install and operate.



PALLET FORK

HYDRAULIC QUICK COUPLER

LIGHT MATERIAL BUCKET

V-SHAPE ROCK BUCKET

Log & Lumber Grapple

General Purpose type

General purpose grapples is an all-round grapple for handling and sorting entire trees or for gripping single stems.



Feature & Benefits



- Maximum material retention and strength.
- Heat-treated pin and bushings



Technical Specifications

Model Name	Carrier Compatibility	Height (mm)	Length (mm)	Width (mm)	Opened Height (mm)	Ø (mm)	Weight (kg)	Linkage Type
DLLG20-TQ	DL200 / DL200A	1,558	1,331	2,100	1,555	850	1,620	QC
DLLG25-TQ	DL250 / DL250A	1,700	1,384	2,300	1,720	1,000	1,700	QC
DLLG30-TQ	DL300 / DL300A	1,866	1,412	2,500	1,890	1,000	1,850	QC
DLLG42-TQ	DL420 / DL420A	2,399	1,567	2,700	3,020	1,100	2,700	QC
DLLG55-TQ	DL550 / DL550-3	2,530	1,730	2,990	3,020	1,200	3,100	QC
DLLG20-GQ	DL200 / DL200A	1,802	1,000	1,810	2,300	300	1,250	QC
DLLG25-GQ	DL250 / DL250A	2,200	1,320	1,850	2,410	315	1,500	QC
DLLG30-GQ	DL300 / DL300A	2,360	1,350	1,930	2,675	320	1,700	QC
DLLG42-GQ	DL420 / DL420A	2,450	1,430	1,950	2,730	400	2,250	QC
DLLG55-GQ	DL550 / DL550-3	2,639	1,455	2,010	2,925	450	2,950	QC
DLLG20-SQ	DL200 / DL200A	2,000	1,020	1,550	2,300	1,200	1,250	QC
DLLG25-SQ	DL250 / DL250A	2,215	1,090	1,740	2,670	1,300	1,500	QC
DLLG30-SQ	DL300 / DL300A	2,590	1,160	2,500	3,050	1,300	1,700	QC
DLLG42-SQ	DL420 / DL420A	2,850	1,300	2,700	3,360	1,400	2,550	QC
DLLG55-SQ	DL550 / DL550-3	3,085	1,435	2,990	3,660	1,500	2,950	QC

Linkage type(Bucket Linkage) : DM=Direct mounting(Pin-on), QC=Quick coupler



Doosan Infracore Korea Office (HQ)
27/F, 275, Jangchungdan-ro, Jung-gu, Seoul, Korea
Tel : 82 2 3398 8114

www.doosaninfracore.com/ce/